

A9
amended.

(c) further iteration, as user specifies, utilizing more restrictive threadwords to further reduce the number of relevant data records; whereby a greater reduction in altitude is obtained.

REMARKS

Claims 1-72 remain in the application.

Claims 1, 7, 14, 18, 19, 29, 40 and 65 have been amended.

Claims 67 (repeat), 68 (repeat) 69 and 70 have been amended as to their numbering, only.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment.

Respectfully submitted,

FULBRIGHT & JAWORSKI LLP



Abraham N. Seidman

Reg. No.: 41,300

Tel: (213) 892-9322 / (213) 892-9200

09759498-054101
TOTAL 36465260

VERSION WITH MARKINGS TO SHOW CHANGES MADE

<u>Insertion</u>
Deletion

CHANGES TO SPECIFICATION

- 5 This application claims the benefit of Provisional Applications: 60/175,705, filed 01/12/2000; 60/176,935 filed 01/18/2000; 60/180,974, filed 02/08/2000; 60/186,720, filed 03/03/2000; 60/194,562, filed 04/03/2000 and 60/194,578, filed 04/05/2000.

CHANGES TO AMENDED CLAIMS SHOWN:

10

1. (once amended) ~~An computer-apparatus capable of~~ assisting a user in decision-making ~~in respect of a selected domain, comprising:~~

(a) ~~one or more~~ at least one input interfaces ~~capable of receiving~~ interface adapted to receive input data representing current information about conditions in a domain;

15

(b) at least one ~~or more memories~~ memory for storing a plurality of items of data about said domain ~~and also, items of data from a database representing information about the domain, and information external to the domain;~~

20

(c) ~~a decision processor capable of generating~~ adapted to generate output data representing a choice, in accordance with its programmed algorithms, axioms and rules, based on data from said memory and from said at least one input interface(s);

(d) ~~a storage device for storing an operator system algorithm and data;~~

(e) ~~a computer programmed to compute said operator system algorithm;~~

(f) ~~at least one or more user interfaces that~~interface adapted to enable a user to interact with said decision processor; wherein said user interface ~~may comprise~~acomprises said input interface;

(g) a connection bus ~~capable of effecting connections among the input interface; the~~memorie(s), connecting at least one memory, the decision processor(s) and the at least
5 one user interface(s); wherein said at least one user interface permits a user to select selectable data and a selectable operator system algorithm, one or more selectable domains, selectable axioms and selectable rules; and wherein said decision processor is ~~capable of generating~~adapted to generate output data based on said selections made.

10

7. (once amended) The apparatus as in claim 6 further comprising:

(a) a first feedback operator; wherein said first operator is applied to the output of the interrelate-selected-data operator to adjust search terms to be narrower or broader in selecting raw data.

15

14. (once amended) The apparatus as in claim 13 further comprising:

(a) assignee field index (AFI) defined as: $AFI = H \cdot \text{PerCentAHP} \cdot \text{Aver.}$,

where:

$H = \frac{1}{2} [(\text{An Assignee's Hits} / \text{An Assignee's Patents}) + (\text{An Assignee's Recent Hits} / \text{An Assignee's Recent Patents})]$,

20

Where:

$\text{PerCentAHP} = \text{Percentage of Cells where the Assignee Holds at least one Patent} = (\text{Number of Cells where an Assignee Holds at least one Patent}) / (\text{Total Number of Cells in the Technology Field}),$

25

And where: $\text{Aver.} = \text{Average (ACI} \times \text{CSI) across the Technology Field}$

= (Sum of each (ACI x CSI) for the given each Assignee in each cell in the Technology Field x CSI of the respective cell)) / (Total Number of Cells in the Technology Field); / (Total Number of Cells in the Technology Field);

5 (b) ~~standardized assignee field index(sAFI) defined as: sAFI=AFI~~

(b) standardized assignee field index(sAFI) defined as: sAFI =AFI •
Standardizing Factor- Standardizing Factor

where: Standardizing Factor = 100 / Max(AFI).

10 18. (once amended) A method of operating a computer apparatus ~~capable of assisting~~adapted to assist a user in decision making ~~in~~with respect ~~to~~of a selected domain application, comprising the steps of:

- 15 (a) generating data representing a candidate choice from data representing a pool of potential candidate choices utilizing predefined data, axioms, rules, and an operator algorithm system;
- (b) displaying graphical and alphanumeric output from the generated data;
- (c) ~~evaluating~~providing output results for user evaluation;
- (d) readjusting internal parameters or algorithms by the user, as user requires;
- (e) repeating the data generation and data ~~output stages~~display until output data satisfies user.
- 20

19. (once amended) A method for a making decision aid comprising the steps of:

- (a) utilizing an operator system algorithm for performing calculations;
- (b) incorporating into said operator system algorithm recursive capability;

- (c) incorporating into said operator system algorithm feedback capability;
- (d) including in said operator system algorithm capacity to self-modify its operators;
- (e) incorporating capability into said operator system to follow a set of rules;
- 5 (f) utilizing a set of axioms particular to an area of application of said algorithm;
- (g) utilizing a set of rules particular to a user.

29. (once amended) A method for performing multi-term frequency analysis comprising

the steps of:

- (a) mapping patent information;
- (b) mapping technology information;
- 15 (c) building a technology landscape from said mapped patent information and from said mapped technology information;
- (d) building a competitive rights landscape from said technology landscape and patent information;
- (e) utilizing multiple search results as a source for output to a user;
- (f) utilizing cross-tabulations of frequencies as a source for output to a user;
- 20 (g) utilizing inferences from general intellectual asset strategy to supplement multi-frequency analysis as output to a user.

40. (once amended) The method as in claim 37 further comprising the steps of:

- (a) defining assignee field index (AFI) as:

$$\text{AFI} = \text{H} \cdot \text{PerCentAHP} \cdot \text{Aver.},$$

where:

$$\text{H} = \frac{1}{2} [(\text{An Assignee's Hits} / \text{An Assignee's Patents}) + (\text{An Assignee's Recent Hits} / \text{An Assignee's Recent Patents})],$$

where:

$$\begin{aligned} \text{PerCentAHP} &= \text{Percentage of Cells where the Assignee Holds at least one} \\ \text{Patent} &= (\text{Number of Cells where an Assignee Holds at least one Patent}) / \\ &(\text{Total Number of Cells in the Technology Field}), \end{aligned}$$

and where:

$$\text{Aver.} = \text{Average (ACI} \times \text{CSI) across the Technology Field}$$

$$\begin{aligned} &= (\text{Sum of each (ACI} \times \text{CSI) for the given each Assignee in each cell in the} \\ &\text{Technology Field} \times \text{CSI of the respective cell}) / (\text{Total Number of Cells} \\ &\text{in the Technology Field}); \end{aligned}$$

- (b) defining standardized assignee field index (sAFI) as:

$$\text{sAFI} = \text{AFI} \cdot \text{Standardizing Factor}$$

where:

$$\text{Standardizing Factor} = 100 / \text{Max}(\text{AFI}).$$

65. (once amended) The system as in claim 62 further comprising:

- (a) assignee field index (AFI) defined as: $\text{AFI} = \text{H} \cdot \text{PerCentAHP} \cdot \text{Aver.},$

where:

$$H = \frac{1}{2} [(\text{An Assignee's Hits} / \text{An Assignee's Patents}) + (\text{An Assignee's Recent Hits} / \text{An Assignee's Recent Patents})],$$

Where:

5 PerCentAHP = Percentage of Cells where the Assignee Holds at least one Patent = (Number of Cells where an Assignee Holds at least one Patent) / (Total Number of Cells in the Technology Field),

And where: Aver. = Average (ACI x CSI) across the Technology Field

10 = (Sum of each (ACI x CSI) for the given each Assignee in each cell) / (Total Number of Cells in the Technology Field x CSI of the respective cell)) / (Total Number of Cells in the Technology Field);

(b) ~~standardized assignee field index(sAFI) defined as: sAFI = AFI b)~~
standardized assignee field index(sAFI) defined as: sAFI = AFI •
Standardizing Factor
Standardizing Factor where: Standardizing Factor = 100 / Max(AFI);

15 (c) a computer.

CHANGES IN SUBSTITUTED CLAIMS (NUMBERING ONLY)

67-69. (once amended) The system as in claim 59 further comprising:

20 (a) a threadword; wherein said threadword acts to narrow a top-down search wherein a large number of initial data records are identifies; whereby a reduction in altitude is obtained.

(b) a second iteration wherein a more restrictive threadword is utilized; wherein the number of relevant data records is reduced; whereby a further reduction in
 25 altitude is obtained.

(c) further iteration, as user specifies, utilizing more restrictive threadwords to further reduce the number of relevant data records; whereby a greater reduction in altitude is obtained.

5 ~~68,70.~~ (once amended) The system as in claim 56 further comprising:

(a) a threadword; wherein said threadword acts to narrow a top-down search wherein a large number of initial data records are identifies; whereby a reduction in altitude is obtained.

(b) a second iteration wherein a more restrictive threadword is utilized;
10 wherein the number of relevant data records is reduced; whereby a further reduction in altitude is obtained.

(c) further iteration, as user specifies, utilizing more restrictive threadwords to further reduce the number of relevant data records; whereby a greater reduction in altitude is obtained.

15 ~~69,71.~~ (once amended) The method as in claim 34 further comprising the steps of:

a) utilizing a threadword; wherein said threadword acts to narrow a top-down search wherein a large number of initial data records are identifies; whereby a reduction
20 in altitude is obtained;

(b) utilizing a second iteration wherein a more restrictive threadword is utilized; wherein the number of relevant data records is reduced; whereby a further reduction in altitude is obtained.

(c) iterating further , as user specifies, utilizing more restrictive threadwords
25 to further reduce the number of relevant data records; whereby a greater reduction in altitude is obtained.

70.72. (once amended) The apparatus as in claim 10 further comprising:

(a) a threadword; wherein said threadword acts to narrow a top-down search wherein a large number of initial data records are identifies; whereby a reduction in altitude is obtained.

5 (b) a second iteration wherein a more restrictive threadword is utilized; wherein the number of relevant data records is reduced; whereby a further reduction in altitude is obtained.

(c) further iteration, as user specifies, utilizing more restrictive threadwords to further reduce the number of relevant data records; whereby a greater reduction in
10 altitude is obtained.

095948-051101
FOI 50-86465260